



Machine reference number: U24170

No destructive testing Dr. FÖRSTER CIRCOFLUX

Manufacturer	Dr. FÖRSTER, Germany
Year	1984
Model	Ro 180
Working range	Ø 20 – 150 mm. (180 mm.)
Rotating head motor power	5,5 kW
Speed	Up to 2 mt./s.
Bars length	3 – 8 mt.
Detectable defects	From 0,2 x 0,2 mm. (Width x Depth)
Tension	500 V. - 50 Hz.

COMPOSITION OF THE LINE – SCOPE OF SUPPLY

Bundle chains loading table + unscrambling chains
Feeding roller conveyor
MAGNATEST 3.625
1 st double pinch-roll
CIRCOFLUX Rotating head control station Ro 180
2 nd double pinch-roll
Double sided discharging exit roller conveyor
Collecting cradles for conforming material
Collecting cradles for no conforming material
Electric equipment



ALESSANDROSTELLA



ENGEN SRL

Italy - 33044 Manzano - Via G.Galilei,8 - Phone +39 0432 740366 - info@engemeccanica.com - www.engenmeccanica.com
C. F. / P. IVA / Reg. Impr. UD IT 02525280307 - Cap. Soc. € 117.640,00 i.v. - R.E.A. Udine 267897



ALESSANDROSTELLA



ENGEN SRL

Italy - 33044 Manzano - Via G.Galilei,8 - Phone +39 0432 740366 - info@engemeccanica.com - www.engemeccanica.com
C. F. / P. IVA / Reg. Impr. UD IT 02525280307 - Cap. Soc. € 117.640,00 i.v. - R.E.A. Udine 267897

